

KAPSEN®

KAPSEN®



WeChat public No.

SHANDONG HONGSHENG RUBBER TECHNOLOGY CO., LTD

Daozhuang, Guangrao, Dongying, Shandong, China
TEL: 86-546-7799 618 / 2 226
FAX: 86-546-7792 222
E-mail: hongsheng@hstyre.com
Web: www.hstyre.com

Qingdao Office
16F, Darong Center, No.180, Haier Road, Qingdao, China.
TEL: 86-532-5576-0086


BROCHURE
TO WIN

PCR



KAPSEN®

Shandong Huasheng Rubber Co., Ltd, established in 1995, located in Dongying, Shandong Province, is a large private company engaged in Researching& Developing, Producing and Marketing of tires. Supported by strong capability of R&D, precise equipment, advanced management, our TBR, PCR series tires have been exported to Europe, America, Middle East , Africa, Asia and Oceania. The offered high quality tires with excellent services gain long term partners, more and more.

Our PCR factory covers an area of 400, 000 square meters, will produce 25 million pcs a year, including ranges HP, UHP, HT, AT, MT, LT(VAN), from 12" to 32". We imported equipment from Germany, Italy, The Netherland, USA, Japan, Korea, and cooperate with excellent foreign engineer team, to make sure the tires are advanced in appearance, quality and performance.

We believe in growing with customers, devote ourselves to end users' good experiences. Huasheng would like to go forward hand by hand with customers and create a brilliant future together.

CONTENTS

| | |
|------------------|---------------|
| H202 | P04-05 |
| S801 | P06-07 |
| S2000 | P08-09 |
| K737 | P10-11 |
| K3000 | P12-13 |
| RS26 | P14-15 |
| S2000 | P16-17 |
| HF330 | P18-19 |
| HP5 | P20-21 |
| RS21 | P22-23 |
| RS23 | P24-25 |
| RS25 | P26-27 |
| AT5 | P28-29 |
| RS01 | P30-31 |
| RS01-TAXI | P32-33 |
| RS03 | P34-35 |
| RS27 | P36-37 |
| H201 | P38-39 |
| H2000 | P40-41 |
| S3000 | P42-43 |
| A4 | P44-45 |
| AW33 | P46-47 |
| AW11 | P48-49 |
| RW501 | P50-51 |
| RW505 | P52-53 |
| RW506 | P54-55 |

| SORT | PATTERN | PERFORMANCE |
|----------|---------------------------|-------------|
| Economic | <i>ComfortMax AS H202</i> | |
| | <i>ComfortMax S801</i> | |
| | <i>S2000</i> | |

| SORT | PATTERN | PERFORMANCE |
|------|------------------------------|-------------|
| HP | <i>RASSUREUR K737</i> | |
| | <i>RASSUREUR K3000</i> | |
| | <i>PracticalMax H/P RS26</i> | |

| SORT | PATTERN | PERFORMANCE |
|------|------------------|-------------|
| UHP | <i>RFT S2000</i> | |
| | <i>RFT HF330</i> | |
| | <i>ELEVÉ HP5</i> | |

| SORT | PATTERN | PERFORMANCE |
|---------|------------------------------|-------------|
| SUV H/T | <i>PracticalMax H/T RS21</i> | |
| | <i>PracticalMax A/T RS23</i> | |
| | <i>PracticalMax RS25</i> | |

| SORT | PATTERN | PERFORMANCE |
|---------|------------------------|-------------|
| SUV A/T | <i>ELEVÉ AT5</i> | |
| | <i>DurableMax RS01</i> | |
| | <i>DurableMax RS03</i> | |

| SORT | PATTERN | PERFORMANCE |
|---------|------------------------------|-------------|
| SUV H/T | <i>PracticalMax H/P RS27</i> | |
| | <i>PracticalMax H/T H201</i> | |
| | <i>H2000</i> | |

| SORT | PATTERN | PERFORMANCE |
|----------|-------------------------|-------------|
| 4 Season | <i>S3000</i> | |
| | <i>Comfortmax 4S A4</i> | |
| | <i>SnowShoes AW33</i> | |

| SORT | PATTERN | PERFORMANCE |
|--------|-----------------------|-------------|
| WINTER | <i>SnowShoes AW11</i> | |
| | <i>IceMax RW505</i> | |
| | <i>IceMax RW506</i> | |



ComfortMax AS H202

Economic Summer



ComfortMax AS H202 is designed for economic cars. The variable pitch and special tread block design provide super silence and excellent grip. The silica compound delivers reduced rolling resistance and fuel efficiency. Optimized outline provides comfortable journey.



Features & Benefits



Variable pitch and noise reducing shoulder deliver silent journey.



Balanced performance:
Silence, Fuel Efficiency,
Security, Comfort.



Silica compound provides
excellent fuel efficiency.



Special tread outline and
section design improve
handling stability and
comfort.



All season design.

UTQG:440/AA/A

| Size | Li85S |
|------------------|-------|
| 145 / 70 R 12 | 69T |
| 155 / 70 R 12 | 73T |
| 165 / 70 R 12 | 77T |
| 155 / 70 R 13 | 75T |
| 155 / 80 R 13 | 79T |
| 165 / 65 R 13 | 77T |
| 165 / 70 R 13 | 79T |
| 165 / 70 R 13 XL | 83T |
| 175 / 70 R 13 | 82T |
| 185 / 70 R 13 | 86T |
| 155 / 65 R 14 | 75T |
| 165 / 60 R 14 | 75T |
| 165 / 65 R 14 | 79H |
| 165 / 70 R 14 | 81T |
| 175 / 65 R 14 | 82H |
| 175 / 65 R 14 XL | 86T |
| 175 / 70 R 14 | 84H |
| 185 / 60 R 14 | 82H |
| 185 / 65 R 14 | 86H |
| 195 / 60 R 14 | 86H |
| 195 / 65 R 14 | 91V |
| 195 / 65 R 15 XL | 95H |
| 205 / 60 R 15 | 91V |
| 205 / 60 R 15 | 91V |
| 205 / 65 R 15 | 91H |
| 205 / 65 R 15 | 94V |
| 205 / 65 R 15 | 94H |
| 215 / 60 R 15 | 94V |

| Size | Li85S |
|------------------|-------|
| 205 / 60 R 14 | 88H |
| 205 / 70 R 14 | 95H |
| 215 / 70 R 14 | 96H |
| 165 / 50 R 15 | 72T |
| 165 / 55 R 15 | 75H |
| 175 / 55 R 15 | 77H |
| 175 / 60 R 15 | 81H |
| 175 / 65 R 15 | 84H |
| 185 / 60 R 15 | 84H |
| 185 / 65 R 15 | 88H |
| 185 / 65 R 15 XL | 92H |
| 195 / 55 R 15 | 85V |
| 195 / 60 R 15 | 88V |
| 195 / 65 R 15 | 91V |
| 195 / 65 R 15 XL | 95H |
| 205 / 60 R 15 | 91V |
| 205 / 60 R 15 | 91V |
| 205 / 65 R 15 | 91H |
| 205 / 65 R 15 | 94V |
| 205 / 65 R 15 | 94H |
| 215 / 60 R 15 | 94V |

| Size | Li85S |
|------------------|-------|
| 215 / 60 R 15 | 94H |
| 215 / 65 R 15 | 96V |
| 215 / 65 R 15 XL | 100H |
| 195 / 60 R 16 | 89H |
| 205 / 45 R 16 | 87V |
| 205 / 55 R 16 | 91V |
| 205 / 60 R 16 | 92V |
| 205 / 60 R 16 XL | 96H |
| 205 / 65 R 16 | 95H |
| 215 / 60 R 16 | 95V |
| 215 / 60 R 16 XL | 99H |
| 215 / 65 R 16 | 98H |
| 225 / 60 R 16 | 98H |
| 225 / 70 R 16 | 103T |
| 235 / 60 R 16 | 100H |
| 215 / 60 R 17 | 96H |
| 225 / 65 R 17 | 102H |
| 235 / 65 R 17 | 104H |
| 225 / 60 R 18 | 100H |




ComfortMax S801

Summer HP




ComfortMax S801 is designed especially for successful people. The advanced asymmetrical tread design brings super silence, excellent grip in wet and dry conditions, handling, and uncommon driving experiences. The silica compound delivers reduced rolling resistance for better fuel efficiency. Sizes from 13" to 17" meet your different demand.

Features & Benefits



Asymmetrical tread design provides excellent grip and handling.



Silica compound delivers reduced rolling resistance for better fuel efficiency.



Strong block tread design improves mileage, stability, and security.

UTQG:420/AA/A

| Size | | | | LT&SS | |
|------|---|----|---|-------|-----|
| 165 | / | 60 | R | 14 | 75T |
| 165 | / | 70 | R | 14 | 81T |
| 175 | / | 65 | R | 14 | 82H |
| 175 | / | 70 | R | 14 | 84H |
| 185 | / | 60 | R | 14 | 82H |
| 185 | / | 65 | R | 14 | 86H |
| 185 | / | 70 | R | 14 | 88H |
| 195 | / | 60 | R | 14 | 84H |
| 195 | / | 70 | R | 14 | 91T |
| 195 | / | 70 | R | 14 | 91H |
| 195 | / | 70 | R | 14 | 95T |
| 185 | / | 55 | R | 15 | 82V |
| 185 | / | 60 | R | 15 | 84H |
| 185 | / | 60 | R | 15 | 88H |
| 185 | / | 65 | R | 15 | 88H |
| 185 | / | 65 | R | 15 | XL |
| 195 | / | 50 | R | 15 | 82V |

| Size | | | | LT&SS | |
|------|---|----|---|-------|------|
| 195 | / | 55 | R | 15 | 85V |
| 195 | / | 60 | R | 15 | 88V |
| 195 | / | 65 | R | 15 | 91V |
| 195 | / | 65 | R | 15 | XL |
| 205 | / | 65 | R | 15 | 95H |
| 215 | / | 65 | R | 15 | 94V |
| 215 | / | 65 | R | 15 | 96H |
| 215 | / | 65 | R | 15 | XL |
| 205 | / | 50 | R | 16 | 100H |
| 205 | / | 55 | R | 16 | 87V |
| 205 | / | 60 | R | 16 | 91V |
| 205 | / | 60 | R | 16 | 92V |
| 205 | / | 60 | R | 16 | XL |
| 215 | / | 60 | R | 16 | 96H |
| 215 | / | 60 | R | 16 | 95V |
| 215 | / | 60 | R | 16 | XL |
| 215 | / | 65 | R | 16 | 99H |
| 215 | / | 65 | R | 16 | 98H |
| 225 | / | 55 | R | 16 | 95V |
| 225 | / | 60 | R | 16 | 98H |
| 225 | / | 60 | R | 17 | 99H |
| 225 | / | 65 | R | 17 | 102H |




S2000

Summer UHP



S2000 seeks exercise limit and extreme experience. The excellent high speed ability, handling in both dry and wet conditions, security and green design, make it to be preferred choice for luxury cars. Her stable performance is worthy of your trust.

Features & Benefits



Special asymmetrical design provides excellent grip and handling in both dry and wet conditions.



The updated SSB and silica compound provide excellent wet grip, much reduced rolling resistance, and terrific handling in high speed.



The dramatic 2 central big grooves with special compound enhances efficient water evacuation to deal with all conditions.



Sipes on outside shoulder enhance turning handling and low down noise in high speed.

UTQG:280/AA/A

| | | Size | | | LI&SS | |
|-----|---|------|----|----|-------|-----|
| 195 | / | 45 | R | 16 | XL | 84V |
| 195 | / | 50 | R | 16 | XL | 88V |
| 195 | / | 55 | R | 16 | XL | 91V |
| 205 | / | 45 | ZR | 16 | XL | 87W |
| 205 | / | 50 | ZR | 16 | XL | 91W |
| 205 | / | 55 | ZP | 16 | XL | 91W |
| 205 | / | 55 | ZR | 16 | XL | 94W |
| 215 | / | 45 | ZR | 16 | XL | 90W |
| 215 | / | 55 | ZR | 16 | XL | 97W |
| 225 | / | 50 | ZR | 16 | XL | 96W |
| 225 | / | 55 | ZR | 16 | XL | 99W |
| 205 | / | 40 | ZR | 17 | XL | 84W |
| 205 | / | 45 | ZR | 17 | XL | 88W |
| 205 | / | 50 | ZR | 17 | XL | 93Y |
| 215 | / | 40 | ZR | 17 | XL | 87W |
| 215 | / | 45 | ZR | 17 | XL | 91W |
| 215 | / | 50 | ZR | 17 | XL | 95W |
| 215 | / | 55 | ZR | 17 | XL | 98W |

| | | Size | | | LI&SS | |
|-----|---|------|----|----|-------|------|
| 225 | / | 45 | ZR | 17 | XL | 94W |
| 225 | / | 50 | ZR | 17 | XL | 98W |
| 225 | / | 55 | ZR | 17 | XL | 101W |
| 235 | / | 45 | ZR | 17 | XL | 97W |
| 235 | / | 50 | ZR | 17 | XL | 100W |
| 235 | / | 55 | ZR | 17 | XL | 103W |
| 245 | / | 40 | ZR | 17 | XL | 95W |
| 245 | / | 45 | ZR | 17 | XL | 99W |
| 255 | / | 45 | ZR | 17 | XL | 102Y |
| 215 | / | 35 | ZR | 18 | XL | 84Y |
| 215 | / | 40 | ZR | 18 | XL | 89Y |
| 215 | / | 45 | ZR | 18 | XL | 93W |
| 225 | / | 40 | ZR | 18 | XL | 92W |
| 225 | / | 45 | ZR | 18 | XL | 95W |
| 235 | / | 40 | ZR | 18 | XL | 95W |
| 235 | / | 45 | ZR | 18 | XL | 98W |
| 235 | / | 50 | ZR | 18 | XL | 101W |
| 245 | / | 40 | ZR | 18 | XL | 97W |

| | | Size | | | LI&SS | |
|-----|---|------|----|----|-------|------|
| 245 | / | 45 | ZR | 18 | XL | 100W |
| 255 | / | 35 | ZR | 18 | XL | 94Y |
| 255 | / | 40 | ZR | 18 | XL | 99Y |
| 255 | / | 45 | ZR | 18 | XL | 103W |
| 265 | / | 35 | ZR | 18 | XL | 97Y |
| 225 | / | 35 | ZR | 19 | XL | 88Y |
| 235 | / | 35 | ZR | 19 | XL | 91W |
| 235 | / | 45 | ZR | 19 | XL | 99Y |
| 245 | / | 35 | ZR | 19 | XL | 93W |
| 245 | / | 40 | ZR | 19 | XL | 98Y |
| 245 | / | 45 | ZR | 19 | XL | 102Y |
| 255 | / | 35 | ZR | 19 | XL | 96Y |
| 225 | / | 35 | ZR | 20 | XL | 90W |
| 235 | / | 35 | ZR | 20 | XL | 92W |
| 245 | / | 35 | ZR | 20 | XL | 95W |
| 245 | / | 40 | ZR | 20 | XL | 99Y |
| 245 | / | 45 | ZR | 20 | XL | 103Y |
| 255 | / | 35 | ZR | 20 | XL | 97W |



K737



Wear Silence Braking Comfort

K737 Multi pitch pattern design combined with the silencer bloc, reduce noise effectively and improve driving quality, specially designed for private car owner with excellent safety and comfort.

Features & Benefits



Multi pitch pattern design combined with optimized pitch arrangement, reduce noise effectively and improve driving quality.



The design of the silencer bloc can separate the loud waves enclosed in the pattern groove into small sound waves, effectively reduce the noise, and make it more quiet and comfortable.



Three central rib to ensure stability in straight driving, asymmetric pattern design brings excellent handling.



Silica compound of tread formula enables the tire to have better wetland braking performance and lower rolling resistance, which is more safe and energy saving.

UTOG:420/A/A

| | | Size | | LI&SS | |
|-------|---|------|---|-------|-----|
| 165 | / | 70 | R | 13 | 79T |
| ★ 165 | / | 65 | R | 13 | 77T |
| 175 | / | 70 | R | 13 | 82T |
| ★ 185 | / | 70 | R | 13 | 86T |
| 155 | / | 65 | R | 14 | 75T |
| 165 | / | 60 | R | 14 | 75H |
| 165 | / | 65 | R | 14 | 79H |
| 165 | / | 70 | R | 14 | 81T |
| 175 | / | 65 | R | 14 | 82H |
| 175 | / | 70 | R | 14 | 84H |
| 185 | / | 60 | R | 14 | 82H |

| | | Size | | LI&SS | |
|-------|---|------|---|-------|-----|
| 185 | / | 65 | R | 14 | 86H |
| 185 | / | 70 | | 14 | 88H |
| 195 | / | 60 | | 14 | 86H |
| ★ 195 | / | 70 | | 14 | 91H |
| 175 | / | 65 | | 15 | 84H |
| 185 | / | 55 | | 15 | 82V |
| 185 | / | 60 | | 15 | 84H |
| 185 | / | 65 | | 15 | 88H |
| 195 | / | 50 | | 15 | 82V |
| 195 | / | 55 | | 15 | 85V |
| 195 | / | 60 | | 15 | 88V |

| | | Size | | LI&SS | |
|-------|---|------|---|-------|------|
| 195 | / | 65 | R | 15 | 91V |
| 205 | / | 65 | R | 15 | 94V |
| 205 | / | 55 | R | 16 | 91V |
| 205 | / | 60 | R | 16 | 92V |
| 215 | / | 60 | R | 16 | 99H |
| ★ 215 | / | 65 | R | 16 | 98H |
| ★ 225 | / | 60 | R | 16 | 98H |
| ★ 235 | / | 60 | R | 16 | 100H |
| 215 | / | 60 | R | 17 | 96H |



K3000



K3000 Developed for the intermediate car, it's a sporty and comfortable high-performance tire with strong grip and handling to offer a precise driving experience, lower noise and rolling resistance, provide a comfortable life with car


Features & Benefits



The design of the silencer bloc can separate the loud waves enclosed in the pattern groove into small sound waves, effectively reduce the noise, and make it more quiet and comfortable.



Increasing the tire grounding area, optimizing the section profile and tire structure, provide more powerful grip.



Multi pitch pattern design combined with optimized pitch arrangement, reduce noise effectively and improve driving quality.



Silica compound of tread formula enables the tire to have better wetland braking performance and lower rolling resistance, which is more safe and energy saving.



Asymmetrical pattern, lateral stiffener design, effectively inhibits the tire deformation from vehicles turning and braking, excellent dry handling and braking performance.

UTQG:300/AA/A

| Size | | | | Li&SS | |
|------|---|----|----|-------|------|
| 195 | / | 45 | R | 16 | 84Y |
| 195 | / | 50 | R | 16 | 88V |
| 195 | / | 55 | R | 16 | 91V |
| 205 | / | 45 | ZR | 16 | 87W |
| 205 | / | 55 | ZR | 16 | 94W |
| ★215 | / | 45 | R | 16 | 90W |
| 215 | / | 55 | ZR | 16 | 97W |
| 205 | / | 40 | ZR | 17 | 84W |
| 205 | / | 45 | ZR | 17 | 88W |
| 205 | / | 50 | ZR | 17 | 93Y |
| 215 | / | 45 | ZR | 17 | 91W |
| 215 | / | 50 | ZR | 17 | 95W |
| 215 | / | 55 | ZR | 17 | 98W |
| 225 | / | 45 | ZR | 17 | 94W |
| 225 | / | 50 | ZR | 17 | 98W |
| 225 | / | 55 | ZR | 17 | 101W |
| ★235 | / | 55 | R | 17 | 103W |
| 235 | / | 45 | ZR | 17 | 97W |
| ★245 | / | 45 | R | 17 | 99W |
| 225 | / | 40 | ZR | 18 | 92W |
| 225 | / | 45 | ZR | 18 | 95W |
| 235 | / | 40 | ZR | 18 | 95W |
| 235 | / | 45 | ZR | 18 | 98W |

| Size | | | | Li&SS | |
|------|---|----|----|-------|------|
| ★245 | / | 40 | R | 18 | 97W |
| 245 | / | 45 | ZR | 18 | 100W |
| 265 | / | 35 | ZR | 18 | 97Y |
| ★225 | / | 35 | R | 19 | 88Y |
| ★225 | / | 40 | R | 19 | 93W |
| ★225 | / | 45 | R | 19 | 96W |
| ★225 | / | 55 | R | 19 | 99W |
| ★235 | / | 35 | R | 19 | 91Y |
| ★235 | / | 40 | R | 19 | 96W |
| ★235 | / | 45 | R | 19 | 99W |
| ★245 | / | 40 | R | 19 | 98W |
| ★245 | / | 35 | R | 19 | 93Y |
| ★245 | / | 45 | R | 19 | 102W |
| ★255 | / | 30 | R | 19 | 91Y |
| ★255 | / | 35 | R | 19 | 96Y |
| ★255 | / | 55 | R | 19 | 111W |
| ★265 | / | 30 | R | 19 | 93Y |
| ★265 | / | 35 | R | 19 | 110W |
| ★265 | / | 40 | R | 19 | 105W |
| ★275 | / | 30 | R | 20 | 97Y |
| ★275 | / | 35 | R | 20 | 102W |
| ★275 | / | 40 | R | 20 | 106W |
| ★275 | / | 45 | R | 20 | 110W |
| ★315 | / | 35 | R | 20 | 110Y |
| ★265 | / | 40 | R | 21 | 105W |
| ★275 | / | 40 | R | 21 | 107W |
| ★285 | / | 35 | R | 21 | 105W |
| ★285 | / | 40 | R | 21 | 111W |
| ★325 | / | 30 | R | 21 | 108Y |
| ★265 | / | 35 | R | 22 | 102Y |
| ★285 | / | 35 | R | 22 | 106Y |
| ★285 | / | 45 | R | 22 | 114W |
| ★295 | / | 30 | R | 22 | 103Y |
| ★295 | / | 35 | R | 22 | 108Y |

| Size | | | | Li&SS | |
|------|---|----|---|-------|------|
| ★285 | / | 45 | R | 19 | 111W |
| ★285 | / | 45 | R | 20 | 103W |
| ★285 | / | 35 | R | 20 | 95Y |
| ★245 | / | 40 | R | 20 | 99W |
| ★255 | / | 35 | R | 20 | 97Y |
| ★255 | / | 40 | R | 20 | 101W |
| ★265 | / | 50 | R | 20 | 111W |
| ★275 | / | 30 | R | 20 | 97Y |
| ★275 | / | 35 | R | 20 | 102W |
| ★275 | / | 40 | R | 20 | 106W |
| ★275 | / | 45 | R | 20 | 110W |
| ★315 | / | 35 | R | 20 | 110Y |
| ★265 | / | 40 | R | 21 | 105W |
| ★275 | / | 40 | R | 21 | 107W |
| ★285 | / | 35 | R | 21 | 105W |
| ★285 | / | 40 | R | 21 | 111W |
| ★325 | / | 30 | R | 21 | 108Y |
| ★265 | / | 35 | R | 22 | 102Y |
| ★285 | / | 35 | R | 22 | 106Y |
| ★285 | / | 45 | R | 22 | 114W |
| ★295 | / | 30 | R | 22 | 103Y |
| ★295 | / | 35 | R | 22 | 108Y |



PracticalMax H/P RS26

SUV H/P




PracticalMax H/P RS26 is designed for luxury SUV, bringing you excellent handling, super stability and comfort, providing sporty passion and driving quality.

Features & Benefits




Semi-closed tread grooves outside the tread, provides silence.

Tapered grooves enhance blocks stability, steady shoulder improves grips.



Asymmetrical design brings excellent grips, breaking, and better handling.



The wide grooves with special compound, enhances efficient water evacuation to deal with all conditions.

UTQG:300/AA/A

| Size | | | | | LT&SS | |
|------|---|----|----|----|-------|------|
| 235 | / | 65 | R | 17 | XL | 108V |
| 215 | / | 55 | R | 18 | XL | 99W |
| 255 | / | 55 | R | 18 | XL | 109W |
| 255 | / | 60 | R | 18 | XL | 112V |
| 225 | / | 45 | R | 19 | XL | 96W |
| 255 | / | 50 | R | 19 | XL | 107W |
| 255 | / | 55 | R | 19 | XL | 111W |
| 275 | / | 30 | ZR | 19 | XL | 96Y |
| 275 | / | 35 | ZR | 19 | XL | 100Y |
| 285 | / | 45 | R | 19 | XL | 111W |
| 255 | / | 40 | R | 19 | | |
| 255 | / | 45 | R | 19 | | |
| 245 | / | 45 | R | 20 | | |
| 255 | / | 45 | R | 20 | | |
| 255 | / | 50 | R | 20 | | |
| 255 | / | 55 | R | 20 | | |
| 255 | / | 55 | R | 20 | | |

| Size | | | | | LT&SS | |
|------|---|----|----|----|-------|------|
| 245 | / | 50 | ZR | 20 | | 102Y |
| 265 | / | 45 | ZR | 20 | XL | 108Y |
| 265 | / | 50 | R | 20 | XL | 111W |
| 275 | / | 30 | ZR | 20 | XL | 97Y |
| 275 | / | 35 | ZR | 20 | XL | 102Y |
| 275 | / | 40 | R | 20 | XL | 106W |
| 275 | / | 45 | R | 20 | XL | 110W |
| 275 | / | 55 | R | 20 | XL | 117W |
| 275 | / | 60 | R | 20 | XL | 119V |
| 285 | / | 50 | ZR | 20 | XL | 116W |
| 315 | / | 35 | ZR | 20 | XL | 110Y |
| 275 | / | 50 | R | | | |
| 275 | / | 45 | R | 21 | | |
| 295 | / | 35 | R | 21 | | |
| 275 | / | 40 | R | 22 | | |
| 265 | / | 40 | R | 21 | | |




S2000

Run Flat

- Braking
- Drainage
- Handling
- Fuel-saving

S2000 seeks exercise limit and extreme experience. The excellent high speed ability, handling in both dry and wet conditions, security and green design, make it to be preferred choice for luxury cars. Her stable performance is worthy of your trust.


Features & Benefits



The updated SSB Rand silica compound provide excellent wet grip, much reduced rolling resistance, and terrific handling in high speed.



Revolutionary tread design, rising strength from inside to outside, can deal with both smooth mountain road and downpour highway, at leisure.



The dramatic central big grooves with special compound enhances efficient water evacuation to deal with all conditions.



Sipes on outside shoulder enhance turning handling and low down noise in high speed.

UTQG:280/AA/A

| Size | | | | | | Li&SS |
|------|---|----|-----|----|----|-------|
| 195 | / | 55 | RF | 16 | XL | 91V |
| 205 | / | 45 | ZRF | 17 | XL | 88W |
| 205 | / | 50 | ZRF | 17 | XL | 93W |
| 205 | / | 55 | ZRF | 16 | XL | 94W |
| 225 | / | 40 | ZRF | 18 | XL | 92W |
| 225 | / | 45 | ZRF | 17 | XL | 94W |
| 225 | / | 50 | ZRF | 17 | XL | 98W |
| 225 | / | 55 | ZRF | 17 | XL | 101W |
| 245 | / | 40 | ZRF | 18 | XL | 97W |
| 245 | / | 45 | ZRF | 18 | XL | 100W |
| 255 | / | 35 | ZRF | 18 | XL | 94Y |



HF330

Run Flat



HF330 as a veritable ultra-high performance tire, has the excellent handling, Optimization on tread and structure improves the comfort, with the technology of RunFlat to ensure driving safety and environmental.

Features & Benefits



Optimize the structure, increasing the contact patch, improves driving stability and handling



Multi pitch pattern design combined with the silencer bloc, reduce noise effectively and improve driving quality.



Silica compound provides excellent traction on dry/wet road condition, reducing rolling resistance and more energy conservation and environmental protection.



The application of RunFlat technology, safe driving of the vehicle even when the tire is completely deflated.

UTQG:280/AA/A

| Size | | | | | Li&SS | |
|------|---|----|-----|----|-------|------|
| 225 | / | 45 | ZRF | 18 | XL | 95W |
| 245 | / | 50 | ZRF | 18 | | 104W |
| 255 | / | 45 | ZRF | 18 | | 103W |
| 255 | / | 55 | ZRF | 18 | | 109W |
| 235 | / | 45 | ZRF | 19 | | 99Y |
| 235 | / | 50 | ZRF | 19 | | 103W |
| 235 | / | 55 | ZRF | 19 | | 105W |
| 245 | / | 40 | ZRF | 19 | | 98Y |

| Size | | | | | Li&SS | |
|------|---|----|-----|----|-------|------|
| 245 | / | 45 | ZRF | 19 | XL | 102Y |
| 255 | / | 45 | ZRF | 19 | XL | 104W |
| 255 | / | 50 | ZRF | 19 | XL | 107W |
| 275 | | 35 | ZRF | 19 | XL | 100Y |
| 275 | | 40 | ZRF | 19 | XL | 105W |
| 275 | | 40 | ZRF | 20 | XL | 106W |
| 315 | | 35 | ZRF | 20 | XL | 110Y |




**ELEVE
HP5**

SUV HP Tire

Drainage Handling Silence Safety

ELEVE HP5 Enhanced profile design improved handling performance in wet conditions performance to enjoy the driving pleasure with premium SUV.

Features & Benefits



UTQG:300/AA/A

| Size | | | | | | LT&SS |
|------|---|----|----|----|----|-------|
| 245 | / | 50 | ZR | 18 | XL | 104W |
| 225 | / | 55 | ZR | 18 | XL | 102W |
| 235 | / | 55 | ZR | 18 | XL | 104W |
| 255 | / | 40 | ZR | 19 | XL | 100Y |
| 275 | / | 45 | ZR | 19 | XL | 108W |
| 255 | / | 50 | ZR | 19 | XL | 107W |
| 235 | / | 55 | ZR | 19 | XL | 105W |
| 245 | / | 55 | ZR | 19 | | 103W |
| 255 | / | 55 | ZR | 19 | XL | 111W |
| 275 | / | 40 | ZR | 20 | XL | 106W |
| 245 | / | 45 | ZR | 20 | XL | 103Y |
| 255 | / | 45 | ZR | 20 | XL | 105Y |
| 275 | / | 45 | ZR | 20 | XL | 110W |
| 255 | / | 50 | ZR | 20 | XL | 109W |
| 255 | / | 55 | ZR | 20 | XL | 110W |




PracticalMax H/T
RS21

SUV H/T

Drainage Handling Comfort Safety

PracticalMax H/T RS21 has excellent performance of handling and silence, is specially designed for city SUV. Stability tread blocks provide super brake performance and excellent handling. It fits both county and city roads, with comfort and silence.

Features & Benefits



Wide circumferential grooves with lugs provide effective water drainage, improve security in wet conditions.



Solid uniform tread blocks with circumferential ribs improve straight line stability.



3D steps on shoulder provides attractive appearance and improves heat dissipation.



Crooked sipes reduce water film a lot and prevent hydroplaning.



Step grooves floor prevents pebbles.

UTQG:500/AA/A

| Size | | | | | | LI&SS |
|------|---|----|---|----|----|-------|
| 235 | / | 75 | R | 15 | | 105H |
| 215 | / | 70 | R | 16 | | 100H |
| 225 | / | 70 | R | 16 | | 103H |
| 235 | / | 60 | R | 16 | | 100H |
| 235 | / | 70 | R | 16 | | 106H |
| 245 | / | 70 | R | 16 | XL | 111H |
| 255 | / | 70 | R | 16 | | 111H |
| 265 | / | 70 | R | 16 | | 112H |
| 265 | / | 75 | R | 16 | | 116H |
| 275 | / | 70 | R | 16 | | 114H |
| 215 | / | 50 | R | 17 | XL | 95H |
| 215 | / | 65 | R | 17 | | 99H |
| 225 | / | 60 | R | 17 | | 99H |

| Size | | | | | | LI&SS |
|------|---|----|---|----|----|-------|
| 225 | / | 65 | R | 17 | | 102H |
| 235 | / | 55 | R | 17 | | 99H |
| 235 | / | 60 | R | 17 | XL | 106H |
| 235 | / | 65 | R | 17 | XL | 108H |
| 245 | / | 65 | R | 17 | XL | 111H |
| 265 | / | 65 | R | 17 | | 112H |
| 265 | / | 70 | R | 17 | | 115H |
| 225 | / | 60 | R | 18 | | 100H |
| 235 | / | 50 | R | 18 | XL | 101H |
| 235 | / | 55 | R | 18 | XL | 104H |
| 235 | / | 60 | R | 18 | XL | 107H |
| 255 | / | 55 | R | 18 | XL | 109V |
| 265 | / | 60 | R | 18 | XL | 114V |



PracticalMax A/T RS23


SUV A/T



Drainage Handling Off-road Safety

PracticalMax A/T RS23 is specially designed for all terrain SUV. It enhances the performance of grip and sport, for on or off road use. The tiger-teeth tread blocks provide super overland performance, the cut resistance compound improves mileage much.

Features & Benefits



| Size | | | | | | PR&LR |
|------|-----|---|----|---|----|-------|
| P | 215 | / | 70 | R | 16 | 100T |
| P | 225 | / | 70 | R | 16 | 103T |
| P | 235 | / | 70 | R | 16 | 106T |
| P | 245 | / | 70 | R | 16 | 111T |
| P | 245 | / | 70 | R | 17 | |
| P | 255 | / | 70 | R | 16 | 111T |
| P | 275 | / | 70 | R | 16 | 114T |
| P | 255 | / | 65 | R | 17 | 110T |
| P | 265 | / | 60 | R | 18 | |
| P | 265 | / | 65 | R | 17 | 112T |
| P | 275 | / | 65 | R | 17 | |
| P | 285 | / | 50 | R | 20 | |
| P | 285 | / | 60 | R | 18 | |

| Size | | | | | | PR&LR |
|------|-----|---|------|---|----|----------|
| P | 285 | / | 65 | R | 17 | |
| P | 31 | x | 10.5 | R | 15 | LT 109S |
| LT | 215 | / | 75 | R | 15 | 100/97S |
| LT | 225 | / | 75 | R | 15 | 102/99S |
| LT | 235 | / | 75 | R | 15 | 104/101S |
| LT | 215 | / | 85 | R | 16 | 115/112S |
| LT | 225 | / | 75 | R | 16 | 115/112S |
| LT | 235 | / | 85 | R | 16 | 120/116S |
| LT | 245 | / | 75 | R | 16 | 120/116S |
| LT | 265 | / | 70 | R | 16 | 117/114T |
| LT | 265 | / | 75 | R | 16 | 123/120S |
| LT | 285 | / | 75 | R | 16 | 126/123S |
| LT | 265 | / | 70 | R | 17 | 121/118S |




**PracticalMax MT
RS25**

SUV M/T

 Drainage
  Braking
  Off-road
  Safety

PracticalMax MT RS25 is specially designed for ORV, providing super driving force, grips, anti-skidding, excellent handling. It's the best choice to challenge hills, mud, and snow.

Features & Benefits



| | Size | | | | | | LI&SS |
|----|------|---|------|---|----|----|----------|
| | 31 | x | 10.5 | R | 15 | LT | 109Q |
| LT | 235 | / | 85 | R | 16 | | 120/116Q |
| LT | 245 | / | 65 | R | 17 | | |
| LT | 245 | / | 70 | R | 16 | | |
| LT | 245 | / | 75 | R | 16 | | 120/116Q |
| LT | 265 | / | 65 | R | 17 | | |
| LT | 265 | / | 70 | R | 16 | | |
| LT | 265 | / | 75 | R | 16 | | 123/120Q |
| LT | 285 | / | 75 | R | 16 | | 126/123Q |
| LT | 265 | / | 70 | R | 17 | | 121/118Q |




**ELEVE
AT5**

SUV AT

Drainage Handling Off-road Safety

ELEVE AT5 Original all-terrain pattern design with excellent grip and outstanding performance improves the comfort on paved road and abrasion performance on unpaved road that allows for a comfortable ride all year.

Features & Benefits



The vertical varied groove design strengthens visual impact, and reduces groove noise.



Stepped grooves design ensures outstanding vastly enhancing performance on muddy and rocky road, and effectively removes gravel.



Wetland sipes on shoulder grooves enhance wet road performance and noise reduction.



Usage of functional material provides excellent cut-resistance.

UTQG:520/A/B

| Size | | | | | | LI&SS |
|------|---|----|---|----|----|-------|
| 285 | / | 60 | R | 18 | XL | 120T |
| 285 | / | 50 | R | 20 | XL | 116H |



DurableMax
RS01

Van/LTR

 Wear  Safety  Handling  Braking

DurableMax RS01 is specially designed for commercial vans and light trucks. It is suitable for overload conditions and brings benefit.

Features & Benefits



| Size | | | | LT&SS | |
|------|---|---|----|-------|----------|
| 145 | / | R | 12 | C | 80/78R |
| 155 | | R | 12 | C | 88/86R |
| 165 | | R | 13 | C | 94/93R |
| 165 | / | R | 13 | C | 88/86R |
| 175 | | R | 14 | C | 99/98R |
| 175 | / | R | 14 | C | 95/93R |
| 175 | / | R | 14 | C | 90/88T |
| 185 | | R | 14 | C | 102/100R |
| 195 | | R | 14 | C | 106/104R |
| 195 | | R | 15 | C | 106/104R |
| 195 | / | R | 15 | LT | 99/96R |
| 195 | / | R | 15 | C | 104/102R |
| 205 | / | R | 15 | C | 100/97T |

| Size | | | | LT&SS | |
|------|---|---|----|-------|----------|
| 205 | / | R | 15 | C | 102/100T |
| 205 | / | R | 15 | C | 106/104R |
| 215 | / | R | 15 | C | 104/102T |
| 215 | / | R | 15 | LT | 104/101R |
| 215 | / | R | 15 | C | 109/107R |
| 225 | / | R | 15 | LT | 106/103R |
| 225 | / | R | 15 | C | 112/110R |
| 185 | / | R | 16 | C | 104/102R |
| 185 | / | R | 16 | LT | 100/97R |
| 195 | / | R | 16 | C | 104/102R |
| 195 | / | R | 16 | LT | 99/96R |
| 195 | / | R | 16 | C | 107/105R |
| 195 | / | R | 16 | LT | 102/99R |

| Size | | | | LT&SS | |
|------|---|---|----|-------|----------|
| 205 | / | R | 16 | C | 107/105R |
| 205 | / | R | 16 | LT | 101/98R |
| 205 | / | R | 16 | C | 113/111R |
| 215 | / | R | 16 | C | 108/106T |
| 215 | / | R | 16 | C | 109/107R |
| 215 | / | R | 16 | C | 116/114R |
| 215 | / | R | 16 | LT | 112/109R |
| 225 | / | R | 16 | C | 112/110R |
| 235 | / | R | 16 | C | 115/113R |
| 185 | | R | 14 | C | 102/100R |
| 195 | | R | 14 | C | 106/104R |
| 195 | | R | 15 | C | 106/104R |



DurableMax Taxi RS01

Taxi



DurableMax Taxi RS01 is specially designed for taxis. It uses 3 circumferential grooves, wide tread blocks, and especially hyperfine carbon, improves a lot mileage and safety, and also reduces rolling resistance much. It brings security and benefit for taxi drivers.

Features & Benefits



2 circumferential central ribs provide super wear-resistance



Circumferential tread blocks on shoulders deliver excellent stability/handling and security.



Special outline avoid eccentric wear.

UTQG:800/A/B

| Size | | | | | | LT&SS |
|------|---|----|---|----|----|-------|
| 165 | / | 70 | R | 13 | XL | 83T |
| 175 | / | 70 | R | 13 | | 82T |
| 185 | / | 70 | R | 13 | | 86T |
| 165 | / | 70 | R | 14 | | 81T |
| 175 | / | 65 | R | 14 | XL | 86T |
| 175 | / | 70 | R | 14 | | 84T |
| 185 | / | 60 | R | 14 | | 82T |
| 195 | / | 60 | R | 14 | | 86T |
| 185 | / | 65 | R | 15 | | 88T |
| 195 | / | 60 | R | 15 | | 88H |
| 195 | / | 65 | R | 15 | | 91H |
| 205 | / | 65 | R | 15 | | 94H |
| 205 | / | 55 | R | 16 | | 91V |





DurableMax
RS03

Specialty Trailer

 Comfort  Fuel-saving  Silence  Safety

DurableMax RS03 is designed especially for specialty trailer. The Z shape tread blocks provide excellent traction.

Features & Benefits



| Size | | | | | | LT&SS |
|------|-----|---|----|---|----|----------|
| ST | 175 | / | 80 | R | 13 | 91/87M |
| ST | 205 | / | 75 | R | 14 | 100/96M |
| ST | 215 | / | 75 | R | 14 | 102/98M |
| ST | 205 | / | 75 | R | 15 | 101/97M |
| ST | 205 | / | 75 | R | 15 | 107/102M |
| ST | 225 | / | 75 | R | 15 | 113/108M |
| ST | 225 | / | 75 | R | 15 | 117/112M |
| ST | 235 | / | 80 | R | 16 | 124/120M |
| ST | 235 | / | 85 | R | 16 | 125/121M |
| ST | 235 | / | 85 | R | 16 | 128/124M |




**PracticalMax H/T
RS27**

Cross H/T



PracticalMax H/T RS27 Radial tire for pickups, vans and SUVs. Offers great traction on Middle-East terrain. Synchronized comfort on urban off-road and poorly-paved terrain.

Features & Benefits



Three-dimensional stepped sipes design enhances heat dissipation performance that allows to deal with the blazing hot desert environment easily.

4-channel zigzag grooves and lateral grooves provide excellent handling performance under wet road conditions.

Combination of wide zigzag grooves with multi-directional sipes, maximize performance to expel slush and mud for optimum traction.

Usage of functional material provides excellent cut-resistance and handling, resulting in better adaption to desert use.

| Size | | | | | | LT&SS |
|-------|---|----|---|----|---|----------|
| 205 | | | R | 16 | C | 110/108S |
| 255 | / | 70 | R | 15 | C | 112/110S |
| • 265 | / | 65 | R | 17 | | 112H |
| • 285 | / | 60 | R | 18 | | 116V |
| • 285 | / | 65 | R | 17 | | 116H |



H201

Touring



H201 is high-end all season touring design, provides overlong mileage and excellent performance in both dry and wet conditions. The low heat compound delivers security in long journey. The optimized section design improves comfort much.

Features & Benefits



UTQG:700/A/B

| Size | | | | | | LT&SS |
|------|-----|---|----|---|----|-------|
| P | 205 | / | 70 | R | 15 | 96T |
| P | 205 | / | 75 | R | 15 | 97T |
| P | 215 | / | 70 | R | 15 | 98T |
| P | 215 | / | 75 | R | 15 | 100T |
| P | 225 | / | 70 | R | 15 | 100T |
| P | 225 | / | 75 | R | 15 | 102T |
| P | 235 | / | 75 | R | 15 | 105T |
| P | 205 | / | 55 | R | 16 | 91T |




H2000

All Season UHP

Braking Drainage Handling Fuel-saving

H2000 is designed for top grade users seeking ultra-high performance. The asymmetrical, unidirectional tread design provides excellent handling and comfort. All season design delivers excellent wet grip. It delivers all outstanding performance and brings you excellent fun of driving.

Features & Benefits

The asymmetrical design provides excellent grip in both dry and wet conditions, enhances turning handling.

The updated SSBR and silica compound provide excellent wet grip, much reduced rolling resistance, and terrific handling in high speed.

Strong circumferential central rib improves straightline stability.

Variable pitch on both sides reduces noise.

The corrugated central grooves direct water, the wide-angle grooves enhance anti-hydroplaning capabilities. It runs easily on downpour highway.

Rim protectordesigned.

UTQG:420/AA/A

| Size | | | | | | LT&SS |
|------|---|----|----|----|----|-------|
| 205 | / | 50 | ZR | 16 | | 87W |
| 205 | / | 55 | ZR | 16 | | 91W |
| 215 | / | 55 | ZR | 16 | | 93W |
| 225 | / | 55 | ZR | 16 | | 95W |
| 205 | / | 45 | ZR | 17 | XL | 88W |
| 215 | / | 45 | ZR | 17 | XL | 91W |
| 225 | / | 45 | ZR | 17 | XL | 94W |
| 235 | / | 45 | ZR | 17 | XL | 97W |
| 245 | / | 45 | ZR | 17 | XL | 99W |
| 225 | / | 40 | ZR | 18 | XL | 92W |
| 235 | / | 40 | ZR | 18 | XL | 95W |
| 245 | / | 40 | ZR | 18 | XL | 97W |




S3000

Drifting Tire

-  Braking
-  Drainage
-  Handling
-  Safety

S3000 Designed for Motorsport, ensure stability at high-speed on street/racetrack and enjoy the fun with drifting.

Features & Benefits



Widened tread design offers a larger ground contact area which effectively improves grip and handling performance.



Central parallel pattern are designed to ensure stability at high-speed when traveling straight and wet conditions.

113%



Three-dimensional sipes design enhances initial reaction and steering performance.



Usage of functional All-silicon drifting materials provides excellent handling in dry/wet conditions.

UTQG:200/AA/A

| Size | | | | | | LT&SS |
|------|---|----|----|----|----|-------|
| 205 | / | 55 | ZR | 16 | XL | 94W |
| 215 | / | 45 | ZR | 17 | XL | 91W |
| 225 | / | 40 | ZR | 18 | XL | 92W |
| 225 | / | 45 | ZR | 18 | XL | 95W |
| 235 | / | 40 | R | 18 | XL | 95W |
| 235 | / | 45 | ZR | 17 | XL | 97W |
| 255 | / | 35 | ZR | 18 | XL | 94Y |
| 265 | / | 35 | R | 18 | XL | 97W |




Comfortmax 4S A4

Real 4-Season Tire



Comfortmax 4S A4 Special all Season product with marvelous overall performance.

Features & Benefits



| Size | | | | | | LI&SS |
|------|---|----|---|----|----|-------|
| 165 | / | 70 | R | 13 | | 79T |
| 175 | / | 70 | R | 13 | | 82T |
| 185 | / | 60 | R | 14 | | 82H |
| 155 | / | 65 | R | 14 | | 75T |
| 165 | / | 65 | R | 14 | | 79T |
| 175 | / | 65 | R | 14 | | 82T |
| 175 | / | 65 | R | 14 | XL | 86T |
| 185 | / | 65 | R | 14 | | 86T |
| 165 | / | 70 | R | 14 | | 81T |
| 165 | / | 70 | R | 14 | XL | 85T |
| 175 | / | 70 | R | 14 | XL | 88T |
| 185 | / | 55 | R | 15 | | 82H |

| Size | | | | | | LI&SS |
|------|---|----|---|----|----|-------|
| 185 | / | 55 | R | 15 | | 86H |
| 195 | / | 55 | R | 15 | | 85H |
| 185 | / | 60 | R | 15 | XL | 88H |
| 195 | / | 60 | R | 15 | | 88H |
| 185 | / | 65 | R | 15 | | 88H |
| 195 | / | 65 | R | 15 | | 91H |
| 195 | / | 65 | R | 15 | XL | 95H |
| 195 | / | 55 | R | 16 | | 87H |
| 205 | / | 55 | R | 16 | | 91V |
| 205 | / | 55 | R | 16 | XL | 94V |
| 215 | / | 55 | R | 16 | XL | 97V |
| 205 | / | 60 | R | 16 | XL | 96H |
| 225 | / | 45 | R | 17 | XL | 94V |




SnowShoes
AW33

Winter

- Snow
- Drainage
- Braking
- Handling

SnowShoes AW33 is specially designed for ice and snow area, providing excellent driving on snow and wet road.

Features & Benefits



Detailed and ultra-thin 3D sipes improve the grip on ice and snow road, and provide excellent handling and driving.



Asymmetrical design make the outside of tire maintaining rigidity, provide more grounding area, bring excellent grip on dry/wet/ice road when sharp turn.



More transverse and variety grooves can fully absorb water, avoid form the water film. Achieve double effectively, forming columnar snow, improve plough snow performance.



Special low-temperature tread compound, perform strong grip on snow and ice, provide excellent handling.

| Size | | | | LI&SS |
|------|---|----|------|-------|
| 155 | / | 65 | R 13 | 79T |
| 165 | / | 70 | R 13 | 79T |
| 165 | / | 60 | R 14 | 75T |
| 165 | / | 70 | R 14 | 81T |
| 175 | / | 65 | R 14 | 82T |
| 175 | / | 70 | R 14 | 84T |
| 185 | / | 60 | R 14 | 82T |
| 185 | / | 65 | R 14 | 86T |
| 185 | / | 70 | R 14 | 88T |
| 185 | / | 60 | R 15 | 84H |
| 185 | / | 65 | R 15 | 88H |
| 195 | / | 55 | R 15 | 85H |
| 195 | / | 60 | R 15 | 88H |
| 195 | / | 65 | R 15 | 95T |
| 205 | / | 65 | R 15 | 94H |
| 195 | / | 60 | R 16 | 89T |
| 205 | / | 55 | R 16 | 91H |
| 205 | / | 60 | R 16 | 96H |
| 225 | / | 55 | R 16 | 99H |
| 215 | / | 60 | R 16 | 99H |
| 215 | / | 65 | R 16 | 98H |
| 215 | / | 70 | R 16 | 100T |

| Size | | | | LI&SS |
|------|---|----|------|---------|
| 225 | / | 60 | R 16 | 98T |
| 225 | / | 70 | R 16 | 107T |
| 235 | / | 60 | R 16 | 100T |
| 235 | / | 70 | R 16 | 106T |
| 245 | / | 70 | R 16 | 107T |
| 265 | / | 70 | R 16 | 112T |
| 235 | / | 50 | R 17 | XL 95H |
| 235 | / | 55 | R 17 | 94H |
| 235 | / | 60 | R 17 | 96H |
| 225 | / | 50 | R 17 | XL 98H |
| 225 | / | 55 | R 17 | XL 101H |
| 225 | / | 60 | R 17 | 99H |
| 225 | / | 65 | R 17 | 102T |
| 235 | / | 50 | R 17 | XL 100H |
| 235 | / | 55 | R 17 | XL 103H |
| 235 | / | 65 | R 17 | XL 108T |
| 245 | / | 65 | R 17 | XL 111H |
| 265 | / | 65 | R 17 | XL 116H |
| 215 | / | 55 | R 18 | 95H |
| 225 | / | 55 | R 18 | 98H |
| 225 | / | 60 | R 18 | XL 104H |
| 235 | / | 50 | R 18 | XL 101H |

| Size | | | | LI&SS |
|------|---|----|------|---------|
| 235 | / | 55 | R 18 | 100H |
| 235 | / | 60 | R 18 | XL 107T |
| 245 | / | 45 | R 18 | XL 100H |
| 255 | / | 55 | R 18 | 105H |
| 265 | / | 60 | R 18 | XL 114H |
| 285 | / | 60 | R 18 | XL 120H |
| 225 | / | 45 | R 19 | XL 96H |
| 225 | / | 55 | R 19 | 99H |
| 235 | / | 50 | R 19 | XL 103H |
| 235 | / | 55 | R 19 | XL 105H |
| 245 | / | 45 | R 19 | 102H |
| 245 | / | 55 | R 19 | 103H |
| 255 | / | 45 | R 19 | XL 104H |
| 255 | / | 50 | R 19 | XL 107H |
| 255 | / | 55 | R 19 | XL 111H |
| 265 | / | 50 | R 19 | XL 110H |
| 245 | / | 40 | R 20 | XL 99H |
| 245 | / | 45 | R 20 | 103H |
| 255 | / | 50 | R 20 | XL 109H |
| 265 | / | 50 | R 20 | XL 111H |
| 275 | / | 40 | R 20 | XL 106H |
| 275 | / | 45 | R 20 | XL 110H |




SnowShoes AW11

Winter



SnowShoes AW11 is designed especially for winter road for commercial vans, which are helpful in providing safety in icy/snowy pavement Snow Drainage Breaking Handling.

Features & Benefits



| Size | | | | | | LT&SS |
|------|---|----|---|----|----|----------|
| 175 | / | | R | 14 | C | 99/98T |
| 185 | / | | R | 14 | C | 102/100S |
| 195 | / | 70 | R | 15 | C | 99/96Q |
| 195 | / | 70 | R | 15 | C | 104/102R |
| 205 | / | 70 | R | 15 | C | 106/104S |
| 215 | / | 70 | R | 15 | C | 98/95T |
| 215 | / | 75 | R | 15 | LT | 100/97T |
| 235 | / | 75 | R | 15 | LT | 104/101T |



IceMax **RW501**

Winter



Snow


Drainage

Braking

Handling

IceMax RW501 is high performance winter tyres. The asymmetrical design and excellent grips bring safe driving in winter condition.

Features & Benefits



Detailed 3D sipes improve grips and traction on snow road, also improve the strength of blocks, providing excellent handling.



Four ribs and continuous grips getting wider from centre to shoulder, provide excellent snow removes.



Improved shoulder blocks and SMC absorption holes, provide excellent grips on wet, snow and ice road.



Special cold resistance compound for tread provide excellent breaking and safety.

| Size | LT&SS |
|-------------|-------|
| 155 / 65 | 73T |
| 165 / 70 | 79T |
| 175 / 70 | 82T |
| 165 / 60 | 75T |
| 165 / 70 | 81T |
| 175 / 70 | 84T |
| 185 / 60 | 82T |
| 185 / 65 | 86T |
| 185 / 70 | 88T |
| 195 / 60 | 86T |
| 185 / 60 | 84H |
| 185 / 65 | 88H |
| 195 / 55 | 85H |
| 195 / 60 | 88H |
| 195 / 65 XL | 95T |
| 205 / 65 | 94H |
| 215 / 70 | 98T |
| 235 / 75 XL | 109T |
| 195 / 60 | 89T |
| 205 / 55 | 91H |
| 205 / 60 XL | 96H |
| 225 / 55 XL | 99H |

| Size | LT&SS |
|-------------|-------|
| 215 / 60 XL | 99H |
| 215 / 65 | 98H |
| 215 / 70 | 100T |
| 225 / 60 | 98T |
| 225 / 70 XL | 107T |
| 235 / 60 | 100T |
| 235 / 70 | 106T |
| 245 / 70 | 107T |
| 265 / 70 | 112T |
| 215 / 50 XL | 95H |
| 215 / 55 | 94H |
| 215 / 60 | 96H |
| 225 / 50 XL | 98H |
| 225 / 55 XL | 101H |
| 225 / 60 | 99H |
| 225 / 65 | 102T |
| 235 / 55 XL | 103H |
| 235 / 65 XL | 108T |
| 245 / 65 XL | 111H |
| 265 / 65 XL | 116H |
| 215 / 55 | 95H |
| 225 / 45 | 91H |
| 225 / 55 | 98H |

| Size | LT&SS |
|-------------|----------|
| 225 / 60 XL | 104H |
| 235 / 50 XL | 101H |
| 235 / 55 | 100H |
| 235 / 60 XL | 107T |
| 245 / 45 XL | 100H |
| 245 / 60 | 105H |
| 255 / 55 | 105H |
| 265 / 60 XL | 114H |
| 285 / 60 XL | 120H |
| 245 / 55 | 103H |
| 255 / 50 XL | 107H |
| 265 / 50 XL | 110H |
| 255 / 50 XL | 109H |
| 275 / 45 XL | 110H |
| 165 C | 94/93T |
| 175 C | 99/98T |
| 185 C | 102/100S |
| 195 / 70 C | 104/102R |
| 205 / 70 C | 106/104S |
| 225 / 70 C | 112/110S |
| 215 / 70 | 98/95T |
| 215 / 75 | 100/97T |
| 235 / 75 | 104/101T |



***IceMax* RW505**

Winter




IceMax RW505 is high performance winter tyres. The asymmetrical design and excellent grips bring safe driving in winter condition.



Features & Benefits



▼
Asymmetrical design provide excellent grips, breaking and handling.



▼
Detailed 3D sipes prevent sliding, improve breaking and handling in high speed condition.



▼
Continuous grooves from central to shoulder, bring excellent draining and safety.



▼
Improved shoulder blocks bring excellent stability.

| Size | U1&SS |
|-----------|-------|
| 195/55R16 | 87H |
| 205/55R16 | 91V |
| 215/55R16 | 97V |
| 225/55R16 | 99V |
| 205/45R17 | XL |
| 205/50R17 | XL |
| 215/45R17 | XL |
| 215/50R17 | XL |
| 215/55R17 | XL |
| 225/45R17 | XL |
| 225/50R17 | XL |
| 225/55R17 | XL |
| 235/45R17 | XL |
| 225/40R18 | XL |
| 255/55R18 | XL |




IceMax
RW506

Studdable

Snow Drainage Braking Handling

IceMax RW506 is high performance winter tyres. The asymmetrical design and excellent grips bring safe driving in winter condition.

Features & Benefits



Special stud technique brings both grips and comfortable driving.

Directional studs configuration provides excellent grips and guidance, guaranteeing traction and breaking.

Directional design brings efficient drainage.

Detailed sipes enlarge the ground contact area, draining water fast and improving grips.

| Size | LI&SS |
|-----------|-------|
| 175/70R13 | 82T |
| 175/65R14 | 86T |
| 175/70R14 | 88T |
| 185/65R14 | 90T |
| 185/70R14 | 92T |
| 185/60R15 | 88T |
| 185/65R15 | 92T |
| 195/60R15 | 92T |
| 195/65R15 | 95T |
| 205/65R15 | 99T |
| 205/70R15 | 100T |
| 205/55R16 | 94T |
| 205/60R16 | 96T |
| 215/60R16 | 99T |
| 215/65R16 | 102T |
| 225/60R16 | 102T |
| 215/55R17 | 98H |

| Size | LI&SS |
|-----------|-------|
| 225/45R17 | 94H |
| 225/50R17 | 98H |
| 225/55R17 | 101H |
| 235/55R17 | 103T |
| 225/40R18 | 92H |
| 245/45R18 | 100H |
| SUV HT | |
| 215/70R16 | 100T |
| 235/70R16 | 106T |
| 245/70R16 | 111T |
| 265/70R16 | 112T |
| 225/65R17 | 106T |
| 235/65R17 | 108T |
| 245/65R17 | 111T |
| 265/65R17 | 112T |
| 235/60R18 | 107T |
| 255/55R18 | 109T |



COMERIO ERCOLE from Ita



SAFERUN, one stage buil



NAKATA from Japan



JULUN, hydraulic curing



The factors



FISCHER, from Germany



KAKUSAI, from Japan

Different sizes with same overall diameter

14inch 15inch 16inch 17inch

| Size | Inch Up Size |
|-----------|--------------|
| 155/80R13 | 165/65R14 |
| | 175/65R14 |
| 145/70R12 | 165/60R12 |
| | 155/60R13 |
| 145/70R12 | 165/60R13 |
| | 185/65R14 |
| 175/70R13 | 185/60R14 |
| | 195/60R14 |
| 185/70R14 | 185/65R14 |
| | 195/65R14 |
| | 195/60R15 |
| | 205/60R14 |
| 185/70R14 | 195/65R14 |
| | 205/60R14 |
| | 195/65R14 |
| | 195/60R15 |
| 185/70R14 | 205/60R15 |

| Size | Inch Up Size |
|-----------|--------------|
| 195/70R14 | 195/65R15 |
| | 205/65R15 |
| | 205/60R15 |
| | 215/60R15 |
| 175/65R14 | 185/60R14 |
| | 195/60R14 |
| | 195/55R15 |
| | 195/50R15 |
| 185/65R14 | 195/60R14 |
| | 205/60R14 |
| | 205R55R15 |
| 195/65R14 | 215/55R15 |
| 185/65R15 | 195/60R15 |
| | 205/60R15 |
| | 215/55R15 |
| | 205/55R16 |

| Size | Inch Up Size |
|----------|--------------|
| 15/60R16 | 255/45R17 |
| | 255/45R17 |
| | 255/40R18 |
| 25/60R16 | 245/50R16 |
| | 195/50R15 |
| 35/55R15 | 205/50R15 |
| | 205/45R16 |
| | 215/40R16 |
| | 205/50R15 |
| 95/55R15 | 215/50R15 |
| | 205/50R16 |
| | 215/45R16 |
| | 215/50R15 |
| 05/55R15 | 225/50R15 |
| | 205/50R16 |
| | 215/50R16 |
| | 225/45R16 |
| | 215/50R16 |
| | 225/50R16 |
| 05/55R16 | 245/45R16 |
| | 225/45R17 |
| | 235/45R17 |
| | 245/40R17 |

| Size | Inch Up Size |
|-----------|--------------|
| 195/65R15 | 205/60R15 |
| | 215/60R15 |
| | 215/55R16 |
| 205/65R15 | 215/60R15 |
| | 225/55R16 |
| 215/65R15 | 225/60R16 |
| 175/60R14 | 185/55R14 |
| | 195/55R14 |
| | 195/50R15 |
| 185/60R14 | 195/55R14 |
| | 195/50R15 |
| | 205/50R15 |
| | 215/40R16 |
| 195/60R14 | 215/50R16 |
| | 215/45R15 |
| 195/60R15 | 215/55R15 |
| | 215/50R15 |
| | 225/50R15 |
| | 205/55R16 |
| | 215/50R16 |
| | 225/45R16 |
| | 235/40R17 |
| 205/60R15 | 225/50R15 |
| | 215/55R16 |
| | 225/50R16 |
| | 245/45R16 |
| | 245/40R17 |
| | 225/55R16 |
| | 235/50R16 |
| 215/60R15 | 245/45R16 |
| | 245/47R17 |
| | 255/40R17 |

| Size | Inch Up Size |
|-----------|--------------|
| 215/55R16 | 225/50R16 |
| | 235/50R16 |
| | 245/50R16 |
| | 245/45R16 |
| | 215/50R17 |
| | 225/50R17 |
| | 235/45R17 |
| | 245/45R17 |
| | 255/40R17 |
| | 255/40R17 |
| 205/50R16 | 235/40R18 |
| | 245/40R18 |
| | 225/45R16 |
| | 245/45R16 |
| 195/50R15 | 205/45R16 |
| 205/50R15 | 215/45R16 |
| 205/50R16 | 225/45R16 |
| | 245/45R16 |
| 215/50R16 | 245/45R16 |
| | 225/45R17 |
| | 235/40R17 |
| | 245/40R17 |
| 225/50R16 | 255/40R17 |
| | 245/45R16 |
| | 235/45R17 |
| 215/50R17 | 255/40R17 |
| | 235/45R17 |
| | 245/40R17 |
| | 255/40R17 |
| | 235/40R18 |